State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-94 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XVVXV2.43AW2 Displacement: 2.3 Liters (142 Cubic Inches)

2.4 Liters (149 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (two) Three Way Catalytic Converter Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.125	3.4	0.4	0.015	10.0	
100,000	0.156	4.2	0.6	0.018	n/a	

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.063	1.6	0.02	0.001	4.7	
100,000	0.068	1.8	0.03	0.001	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and the Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, section 1978, and listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 day of August 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page__1_

Variotic abundant	VOLVO (AR (O	RP. F	xh Eng Fa	ım: XVV	XV2, <u>43A</u> W2.1	Evap Fam: XVV	IXR 0133 PAT
Manufacturer:_	es in Engine Fami	<u> </u>	495	50s`X	AB965 ,	ORVR: YES	<u>×</u> ио
All Engine Code	es in Engine rami ier-l TLEV_	Y TH	יטי	— UU-⊅ ∏.EV	SULEV	, US EPA	Tier-VNLEY >
Exh Std: CA T.	PCLDT1	r D#2	י אוזערוא	мі	DV2 MDV3	MDV4	<u>:</u> моv5
Veh Class(es):	d for Multi-Class	DD12_	. M/A / BT	ecify:	N/A, LDT1,	DV1, MDV2, A	MDV3, MDV4)
Single Cert Sto	Dedicated X Fl	Eng ran	Dua!-	Fuel	Bi-Fuel	GasolineX	_ Diesel
Fuel Type(s):	CNGLNG	tro	was c	ther (s	specify)		
	Fuel(a): Indo	CBC	CNG	LPG	M85 (other (specif	Ey)
Fall miss rest	Fuer(a): Indo <u>//</u>	_ 030 <u>_</u>	 B 2282	40 CE	 R 86.113-90	40 CFR 86	5.113-94
	ission Test Proce	. 15 50 dura: 0	alifornia		Federal_	<u> </u>	
	SEC AND Y. MO	AMA 5	Mfr A	DP .	Other (spec:	Lfy)	
	-3	ctd X	ਬੁਆਮ ਪ	Ŕ.	/L Test Proc:	SHED Pt	Source X
Name - Configur	ration: T-5	isplacem	ment: ∠.J	12.4	<u>/</u> _Liters/	721 / 177Ci	TDIC INCHES
Values per Cyl	inder: 4		Rated	HP:	24+/190	@ 3700/3	TOD KEN
B	א איז א "ספ	ar	Drive:	FWD	RWD	4WD-FT_X	4WD-PT
Exhaust ECS (e	.g., MFI, EGR, TO	., CAC):	SFI HO2	5/21	1WG/C/C	AC	
			/ (use	abbre	viations per		
Engine Code	Vehicle Models	Trans.		DPA	Ignition	EGR System	Catalytic Converter
lso list	(if coded see attachment)	(M5, A4)	or Test Wt.	or RLHP	Part No.	Part No.	
CR/4951/30511:	accacimienc)	<u> </u>					
X62AWD:2(20)	V70 KZA	L4 ·	4000	8.8	19125691		9470133
Noninonia	1 17/314	•	,] -	!	1	i !
ì			- 	1 1 1			
		 	1 1 !	<u> </u>		-	
<u> </u>	ı	! 	1 1 1				1
X56AWD:2(94)	V70/V70 XC/S70	L4	4000	8.5	9125601	N/A	9470 133
	1.0/3/9	, , !		8.8	1123001	1 ,,,	
		<u> </u>	3875	9.1	i 	 	
		ļ		9.1	1	† !	1
i		- ,	i - .		t t		
		1	1		!	-	i
) 	1 				,
		 	1				! !
	i ! !	 		!			
	1	1			; 	i t	l t
	1 1 1	1			1	 	1
	1		1		i		
	'	1		<u>i </u>			